BAMBOO DEVELOPMENT MISSION AGRICULTUTAL VERTICAL, NITI AAYOG

BAMBOOWOOD FOR FURNITURE & ANCILLARY UNITS

MUTHA INDUSTRIES PVT. LTD. 30TH December 2021





INDEX

- ABOUT EPITOME BAMBOOWOOD
- SYNERGY REQUIRED IN BAMBOO INDUSTRY
- BAMBOOWOOD VS HARDWOOD
- POTENTIAL OF BAMBOOWOOD
- POLICY SUPPORT REQUIRED FROM GOVT.







ABOUT EPITOME BAMBOOWOOD

- MUMBAI BASED COMPANY
- PIONEERS IN MANUFACTURING BAMBOOOWOOD IN INDIA
- HAVE PROVIDED DIRECT EMPLOYMENT TO 200 PEOPLE IN AGARTALA
- HAVE EXECUTED 500+ PROJECTS IN INDIA
- MAIN PRODUCTS: FLOORING, CEILING, PANELLING, FURNITURE, DOORS
- HAVE SUPPLIED 300,000+ SQ FT IN CENTRAL VISTA PROJECTS TILL NOW





















GUWAHATI AIRPORT







GODREJ BHAWAN, MUMBAI









SYNERGY REQUIRED IN BAMBOO INDUSTRY

- CURRENTLY ALL BAMBOO INDUSTRY FUNCTION AS INDIVIDUAL SILOS
- INCREASES COST OF PRODUCTS AS YEILD IS LOWER
- BAMBOOWOOD PLAYS AN IMPORTANT ROLE IN SUCH A CASE
- MAXIMUM VALUE ADDITION TO BAMBOO IS DONE IN THE BAMBOOWOOD INDUSTRY
- IMPORTANT FOR ALL BAMBOO INDUSTRY TO BE INTERDEPENDENT
- ONE INDUSTRY'S WASTE SHOULD BE OTHER INDUSTRY'S RAW MATERIAL
- MIPL AGARTALA IS A GOOD EXAMPLE



BAMBOOWOOD VS HARDWOOD

	BAMBOOWOOD	HARDWOOD
SOURCE	CAN BE MANUFACTURED IN INDIA BY USING BAMBOO	AS CUTTING TREES IS BANNED IN INDIA, MOST OF THE HARDWOOD IS IMPORTED
IMPACT TO FARMERS	BAMBOOWOOD INDUSTRY WILL PROVIDE READY MARKET FOR FARMERS GROWING BAMBOO	MAJOR REQUIREMENT OF HARDWOOD IS FULFILLED BY IMPORTS
PRICE	RANGES BTW RS 4500 TO 5500 PER SQ MTR	RANGES FROM RS. 7000 TO 10000 PER SQ MTR
EFFECT ON ENVIRONMENT	ENVIRONMENTALLY FRIENDLY	ENVIRONMENTALLY HARMFUL, IF HARVESTED
DENSITY*	ABOVE 1100 KG/M3	BETWEEN 600 TO 1000 KG/M3
MODULUS OF RAPTURE* (MOR)	ABOVE 200 N/MM2	BETWEEN 70 TO 120 N/MM2
MODULUS OF ELASTICITY* (MOE)	ABOVE 22500 N/MM2	BETWEEN 8000 TO 12500 N/MM2
HARDNESS*	ABOVE 1250 KGF	BETWEEN 450 TO 1100 KGF
TERMITE & BORER TEST	TERMITE & BORER RESISTANCE	PRONE TO TERMITE & BORER ATTACKS
SCREW WITHDRAWAL* RESISTANCE (FLAT)	439KG	BETWEEN 100 – 400 KG
SCREW WITHDRAWAL RESISTANCE* (EDGE)	349KG	BETWEEN 80 – 300 KG

^{*} These values are indicative as it may vary depending on the species of hardwood.



POTENTIAL OF BAMBOOWOOD

- TOTAL WOOD USE IN INDIA APPROX. 70 MILLION CU. MTR (EXCL. WOOD FEUL)
- IF, WE CAN SHIFT 4-5% OF THE WOOD DEMAND TO BAMBOOWOOD, WE COULD:
- CREATE 40K 50K DIRECT JOBS IN INDIA
- CREATE A DEMAND IN EXCESS OF 2 MILLION TONS OF BAMBOO PER ANNUM
- CREATE NUMEROUS ANCILLARY FURNTIURE/DOOR MAKING FACTORIES & JOBS
- ATTRACT INVESTMENTS IN EXCESS OF RS. 4000 CRORES
- BAMBOO CAN BE AN IMPORTANT CONTRBUTOR TO THE INDIAN GDP
- BE IN TUNE WITH GOVT.'S POLICY OF "ATMANIRBHAR BHARAT" "MAKE IN INDIA"



POLICY SUPPORT

- CREATE DEMAND FOR BAMBOOWOOD
- INDUSTRY IS IN NASCENT STAGE SO INITIALLY GOVT. SUPPORT IS REQUIRED
- EXAMPLE OF JUTE & SOLAR INDUSTRY
- GOVT. CAN MANDATE CERTAIN USE OF BAMBOOWOOD IN THEIR PROJECTS
- ATTRACT PRIVATE SECTOR TO USE BAMBOOWOOD
- PROMOTE BAMBOOWOOD ON GeM PORTAL
- PROTECTION FROM DUMPING OF IMPORTED MATERIAL



























POLICY SUPPORT

- CREATE DEMAND FOR BAMBOOWOOD
- INDUSTRY IS IN NASCENT STAGE SO INITIALLY GOVT. SUPPORT IS REQUIRED
- EXAMPLE OF JUTE & SOLAR INDUSTRY
- GOVT. CAN MANDATE CERTAIN USE OF BAMBOOWOOD IN THEIR PROJECTS
- ATTRACT PRIVATE SECTOR TO USE BAMBOOWOOD
- PROMOTE BAMBOOWOOD ON GeM PORTAL
- PROTECTION FROM DUMPING OF IMPORTED MATERIAL



EPITOME BAMBOOWOOD





THANK YOU

